

KLEENCO PRODUCTS, INC. • P.O. BOX 1786 • Bellevue, WA. 98009

TELEPHONE NUMBER Reg. Phone 206-641-8888

For Emergency Assistance Call Infotrac (800) 535-5053

HAZARD RATING FIRE 4 = EXTREMEREACTIVITY 3 = HIGH 2 = MODERATE 0 0 1 = SLIGHT 0 = INSIGNIFICANT

*= SEE SECTION IV

SPECIAL

MATERIAL SAFETY DATA SHEET

	MAL OAL I							
PRODUCT NAME		DATE ISSUED 07-17-95	CODE	DOT HAZARD				
ACCLAIM CARPET CLEAN	VER	PREPARED BY Dale R. Silbaugh	005-0400	Not Regulated				
FORMULA Proprietary	CHEMICAL NAMES AND OR SYNONYMS Compound Cleaning Liquid							
I - COMPOSITIONAL INFORMATION/SARA III INFORMATION								
INGREDIENTS		OCCUPATION EXPOSURE LIMITS OSHA PEL ACGIH TLV OTHER	VAPOR PRESSURE mm Hg @ TEMP	WEIGHT PERCENT				
No toxic chemical(s) subject to the reporting requi will be provided to a physician in the event of a n	nedical emergency.	· · ·		complete description				
II -	PHYSICAL PROPE	RTY INFORMATIO	N					
APPEARANCE and ODOR Water thin, clear blue liquid.								
MELTING POINT	BOILING POINT	COATING V.O.C.	EVAPORATION RATE					
Not Applicable SOLUBILITY IN WATER	304° F.	Not Applicable VAPOR DENSITY	Slower than ether					
Complete	SPECIFIC GRAVITY (Water = 1) VAPOR DENSITY 1.0 Not Applicable							
III - FIRE AND EXPLOSION HAZARD INFORMATION								
FLASH POINT	AUTO IGNITION TEMPERATURE	LOWER EXPLOSION LIMIT (%)	UPPER EXPLC	SION LIMIT (%)				
Not Applicable Not Available		Not Applicable	Not Applicable					
EXTINGUISHING MEDIA X FOAM X CO ₂ X DRY CHEMICAL X WATER SPRAY OTHER								
SPECIAL FIRE FIGHTING PROCEDURES For fires involving this material, do not enter any enclosed or confined fire space without proper protective equipment. This may include self-contained breathing apparatus to protect against the hazardous effects of normal products of combustion or oxygen deficiency. Read the entire MSDS.								
UNUSUAL FIRE AND EXPLOSION HAZARDS None known								
IV - HEALTH HAZARD INFORMATION								
THRESHOLD LIMIT VALUE ROUTE Not Established OF ENT		X SKIN See Health Hazards	X INGESTION See Health Ha	azarde				
HEALTH HAZARDS (Acute and Chronic) CHRONIC EFFECTS OF EXPOSURE: None known *See Section IX.								
CARCINOGENICITY: Not considered to be a carcinogen NTP IARC Monographs X OSHA Regulated								
SIGNS AND SYMPTOMS OF EXPOSURE INHALATION: Vapors and mist can cause the following: -headache - nausea - irritation of nose, throat, and lungs. EYE CONTACT: Direct contact with the material may irritate the eyes. SKIN CONTACT: Prolonged or repeated contact may irritate the skin.								
MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE None Known.								
EMERGENCY AND FIRST AID PROCEDURES EYES: If this chemical contacts the eyes, promptly wash the eyes with large amounts of water, occasionally lifting the lower and upper lids. Get medical attention if any discomfort continues. Contact lenses should not be worn when working with this chemical. SKIN: If this chemical contacts the skin, flush the contaminated skin with water. Where there is evidence of skin irritation, get medical attention. INHALATION: If a person breathes large amounts of this chemical, move the exposed person to fresh air at once. Other measures are usually unnecessary. INGESTION: If this chemical has been swallowed, get medical attention immediately.								

V - REACTIVITY INFORMATION							
X STABLE	UNSTABLE	DITIONS TO AVOID	None				
HAZARDOUS DECOME	POSITION PRODUCTS Ma	y liberate carbon monoxi	de or carbon dioxide.				
HAZARDOUS MAY WILL NOT CONDITIONS TO AVOID POLYMERIZATION OCCUR X OCCUR Heat, sparks and open flame.							
INCOMPATIBILITY (Materials to avoid) Acids, oxidizing materials.							
VI - SPILL OR LEAK PROCEDURE INFORMATION							
STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED Stop the source of leak or release. Clean up releases as soon as possible, observing precautions in Special Protective Information. Contain liquid to prevent further contamination of soil, surface water or groundwater. Clean up small spills using appropriate techniques such as sorbent materials or pumping. Where feasible and appropriate, remove contaminated soil. Follow prescribed procedures for reporting and responding to larger releases.							
WASTE DISPOSAL METHODS Place contaminated materials in disposable containers and dispose of in a manner consistent with applicable regulations. Contact local environmental authorities for approved disposal of this material.							
VII-SPECIAL PROTECTION INFORMATION							
VENTILATION TYPE	Local mechanical exhaust ver	tilation, capable of mainta	aining emissions at the po	oint of use below the PEL.			
RESPIRATORY PROTE	CTION Wear a NIOSH-A	pproved respirator, appro	priate for the concentration	ion of vapor or mist encountered at the point of use.			
PROTECTIVE GLOVES	Impervious	EYE PROTECT	ION Wear eye pi	protection to prevent any reasonable probability of eye contact.			
OTHER PROTECTIVE EQUIPMENT Wear appropriate equipment to prevent any repeated or prolonged skin contact.							
	VIII - STOR	AGE AND	HANDLING	G INFORMATION			
PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE Keep out of reach of children. Store in a cool dry place away from incompatible materials. Keep container tightly closed when not in use. Workers should wash promptly when skin becomes wet. The following equipment should be available: Eyewash. It is generally recognized that contact lenses should not be worn when working with chemicals because contact lenses may contribute to the severity of the injury.							
OTHER PRECAUTIONS will retain product residue at	S Read and follow label instrund vapors. Always obey hazard w			or the proper use of the product. Containers, even those that have been emptied, ere full.			
IX - TOXICITY INFORMATION							
may cause adverse effects. S injury. SKIN CONTACT: Prole The LD50 for skin absorption narcotic effects. INGESTION swallowing amounts larger th	Signs and symptoms of excessive e onged or repeated exposure may c in rabbits is 1400 mg/kg. The liqu : Single dose oral toxicity is low. Th nan that may cause injury. SYSTE!	exposure may be central ne ause skin irritation. SKIN A id is reported to cause a b le oral LD50 for rats is 330 MIC (OTHER TARGET OF	ervous system effects. EYI BSORPTION: A single pro urning sensation and itchi 0 mg/kg. Small amounts so RGAN) EFFECTS: Observ	upper respiratory tract. A single prolonged (hours) excessive inhalation exposure /E CONTACT: May cause moderate eye irritation. May cause moderate corneal olonged exposure may result in the material being absorbed in harmful amounts. inness at site of contact. Exposure to large amounts may produce anesthetic or swallowed incidental to normal handling operations are not likely to cause injury; vations in animals include only increase liver size following repeated exposure. lould have no effect on the fetus. REPRODUCTIVE EFFECTS: In animal studies, alts of in vitro ('test tube') mutagenicity tests have been negative.			
X-MISCELLANEOUS INFORMATION							
Handle in accordance with good industrial hygiene and safety practices. These practices include avoiding unnecessary exposure and the removal of the material from eyes, skin and clothing.							
PRODUCT CODE	NA = NOT AVAILABLE	DATE OF ISSUE	SUPERSEDES	SIGNED			
005-0400		07-17-95	Any previous MSDS	Dali K ST			
The information contained he	erein is based on data considere	daccurate. However no	warranty is expressed or	or implied regarding the accuracy of these data or the results to be obtained			

the information contained nerein is based on data considered accurate. However no warranty is expressed or implied regarding the accuracy of these data or the results to be obtained thereof. They are offered solely for your consideration, investigation, and verification. Any use of these data and information must be determined by the user to be in accordance with applicable Federal, State and Local laws and regulations. KLEENCO PRODUCTS, INCORPORATED and its Distributors assume no responsibility for personal injury or property damage to vendees, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of the material.