

KLEENCO PRODUCTS, INC. • P.O. BOX 1786 • Bellevue, WA. 98009

TELEPHONE NUMBER


Reg. Phone 206-641-8888

For Emergency Assistance Call Infotrac (800) 535-5053

HAZARD RATING

- 4 = EXTREME
- 3 = HIGH2 = MODERATE
- 1 = SLIGHT

0 = INSIGNIFICANT TOXICIT *= SEE SECTION IV



MATERIAL SAFE PRODUCT NAME CODE DOT HAZARD 07-18-95 **ROL GLASS CLEANER** PREPARED BY Not 020-0337 Dale R. Silbaugh Regulated CHEMICAL NAMES AND OR SYNONYMS **FORMULA** Compound Cleaning Liquid Proprietary I - COMPOSITIONAL INFORMATION/SARA III INFORMATION OCCUPATION EXPOSURE LIMITS OSHA PEL ACGIH TLV OTHER VAPOR PRESSURE mm Hg @ TEMP WEIGHT PERCENT CAS NUMBER **INGREDIENTS** No toxic chemical(s) subject to the reporting requirements of section 313 of Tittle III and 40 CFR 342. NOTE: The precise composition of this mixture is proprietary. A more complete description will be provided to a physician in the event of a medical emergency. II - PHYSICAL PROPERTY INFORMATION APPEARANCE and ODOR Water thin, clear blue liquid **MELTING POINT BOILING POINT** COATING V.O.C. **EVAPORATION RATE** Not Applicable Slower than ether Same as water Not Applicable SOLUBILITY IN WATER SPECIFIC GRAVITY (Water = 1) VAPOR DENSITY Complete 1.003 Not Applicable III - FIRE AND EXPLOSION HAZARD INFORMATION FLASH POINT **AUTO IGNITION TEMPERATURE** LOWER EXPLOSION LIMIT (%) UPPER EXPLOSION LIMIT (%) Not Applicable Not Available Not Applicable Not Applicable EXTINGUISHING MEDIA **FOAM** CO₂ DRY CHEMICAL WATER SPRAY **OTHER** SPECIAL FIRE FIGHTING PROCEDURES For fires involving this material, do not enter any enclosed or confined fire space without proper protective equipment. This may include self-contained breathing apparatus to protect against the hazardous effects of normal products of combustion or oxygen deficiency. Read the entire MSDS. UNUSUAL FIRE AND EXPLOSION HAZARDS None known IV - HEALTH HAZARD INFORMATION THRESHOLD LIMIT VALUE ROUTE(s) INHALATION SKIN **INGESTION** Χ OF ENTRY: No Data Available See Health Hazards HEALTH HAZARDS (Acute and Chronic) CHRONIC EFFECTS OF EXPOSURE: None known. *See Section IX. CARCINOGENICITY: NTP IARC Monographs **OSHA** Regulated Not considered to be a carcinogen SIGNS AND SYMPTOMS OF EXPOSURE EYE CONTACT: Direct contact with the material may irritate the eyes. SKIN CONTACT: Prolonged or repeated contact may irritate the skin MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE EMERGENCY AND FIRST AID PROCEDURES EYES: If this chemical contacts the eyes, promptly wash the eyes with large amounts of water, occasionally lifting the lower and upper lids. Get medical attention if any discomfort continues. Contact lenses should not be worn when working with this chemical. SKIN: If this chemical contacts the skin, flush the contaminated skin with water. Where there is evidence of skin irritation, get medical attention. INGESTION: If this chemical has been swallowed, get medical attention immediately,

V - REACTIVITY INFORMATION
X STABLE UNSTABLE CONDITIONS TO AVOID None
HAZARDOUS DECOMPOSITION PRODUCTS May liberate carbon monoxide or carbon dioxide.
HAZARDOUS MAY WILL NOT CONDITIONS TO AVOID POLYMERIZATION OCCUR X OCCUR Heat, sparks and open flame.
INCOMPATIBILITY (Materials to avoid) Acids, oxidizing materials.
VI - SPILL OR LEAK PROCEDURE INFORMATION
STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED Stop the source of leak or release. Clean up releases as soon as possible, observing precautions in Special Protective Information. Contain liquid to prevent further contamination of soil, surface water or groundwater. Clean up small spills using appropriate techniques such as sorben materials or pumping. Where feasible and appropriate, remove contaminated soil. Follow prescribed procedures for reporting and responding to larger releases.
WASTE DISPOSAL METHODS Place contaminated materials in disposable containers and dispose of in a manner consistent with applicable regulations. Contact loca environmental authorities for approved disposal of this material.
VII - SPECIAL PROTECTION INFORMATION
VENTILATION TYPE Local mechanical exhaust ventilation, capable of maintaining emissions at the point of use below the PEL.
RESPIRATORY PROTECTION Wear a NIOSH-Approved respirator, appropriate for the concentration of vapor or mist encountered at the point of use.
PROTECTIVE GLOVES Impervious EYE PROTECTION Wear eye protection to prevent any reasonable probability of eye contact.
OTHER PROTECTIVE EQUIPMENT Wear appropriate equipment to prevent any repeated or prolonged skin contact.
VIII - STORAGE AND HANDLING INFORMATION
PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE Keep out of reach of children. Store in a cool dry place away from incompatible materials. Keep contained tightly closed when not in use. Workers should wash promptly when skin becomes wet. The following equipment should be available: Eyewash. It is generally recognized that contact lenses should not be worn when working with chemicals because contact lenses may contribute to the severity of the injury.
OTHER PRECAUTIONS Read and follow label instructions. The label contains information necessary for the proper use of the product. Containers, even those that have been emptied will retain product residue and vapors. Always obey hazard warnings and handle empty containers as if they were full.
IX - TOXICITY INFORMATION
*HEALTH HAZARDS for Propylene Glycol N-Propyl Ether: INHALATION: A single brief (minutes) inhalation exposure is not likely to cause adverse effects. Excessive exposure may cause irritation to upper respiratory tract. Signs and symptoms of excessive exposure may be anesthetic or narcotic effects. EYE CONTACT: May cause moderate eye irritation. May cause moderate corneal injury. Vapors may cause corneal injury. SKIN CONTACT: Prolonged exposure may cause slight skin irritation. Repeated exposure may cause more severe response if confined to skin or skin is abraded (scratched or cut). Repeated contact may cause drying or flaking of skin. A single prolonged exposure is not likely to result in the material being absorbed through skir in harmful amounts. Single and symptoms of excessive exposure may be central nervous system effects. INGESTION: Single does oral toxicity is low. Small amounts swallowed incidental to normal handling operations are not likely to cause injury; swallowing amounts larger than that may cause injury. Observations on animals include narcotic effects. SYSTEMIC (Other Targe Organ) Effects: Observations in animals include eye effects from vapor exposure. Observations in animals include liver, kidney and central nervous system effects.
X - MISCELLANEOUS INFORMATION
Handle in accordance with good industrial hygiene and safety practices. These practices include avoiding unnecessary exposure and the removal of the material from eyes, skin and clothing
PRODUCT CODE NA = NOT AVAILABLE DATE OF ISSUE SUPERSEDES Any Previous MSDS SIGNED
The information contained herein is based on data considered accurate. However no warranty is expressed or implied regarding the accuracy of these data or the coults to be obtained

The information contained herein is based on data considered accurate. However no warranty is expressed or implied regarding the accuracy of these data or the results to be obtained thereof. They are offered solely for your consideration, investigation, and verification. Any use of these data and information must be determined by the user to be in accordance with applicable Federal, State and Local laws and regulations. KLEENCO PRODUCTS, INCORPORATED and its Distributors assume no responsibility for personal injury or property damage to vendees, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of the material.